

 **Raccoglitrice semovente C300S**
 ***Recogedora automotriz C300S***
 ***Self-propelled harvester C300S***
 ***Récolteuse automotrice C300S***

Scheda tecnica
 Technical data sheet
 Ficha técnica
 Fiche technique



FACMA S.r.L.
 Strada Piangoli s.n.c. 01030 Vitorchiano (VT) Italy
 Tel. +39 0761 370292 - +39 0761 370420
 Fax. +39 0761 370420
 E-mail: info@facma.it - www.facma.it - skype: info.facma



Dati tecnici Technical data Données techniques Datos técnicos	Unità di misura Measure unit Unité de mesure Unidad de medida	CIMINA 300 S		
Trazione Drive Traction Tracción		2 ruote motrici posteriori, con trasmissione idraulica 2 driving back wheels with hydraulic transmission 2 roues motrices postérieures avec transmission hydraulique 2 ruedas motrices posteriores con transmisión hidráulica		
Lunghezza Length Longueur Largueza	mm	5.900		
Altezza Height Hauteur Alteza	mm	1.720		
Larghezza Width Largeur Anchura	mm	1.770		
Larghezza del raccoltore Harvester width Largeur du ramasseur Achura del recogedor	mm	2.500-(3.000) (3.500)		
Peso Weight Poids Peso	Kg	2.580		
Motore Engine Moteur Motor		 UE	Diesel 4T VM R754ISE4 Common rail	
		Extra UE	Diesel 4T VM D 754 TE3	
Potenza Power Puissance Potencia	Kw/CV-HP	74 / 55	81,3 / 59,8	
Bocche di raccolta Harvesting mouths Bouches de récolte Bocas de cosecha	N°	1 testata automatica – 1 cabeza automática - 1 automatic head – 1 tête automatique		2 tubi – 2 tubos – 2 pipes – 2 tubes 120 mm Ø
Cicloni di abbattimento polvere De-duster cyclones Cyclones dépoussiéreurs Ciclones de desempolvado	N°2	Roll-bar RPS001FC a norma incluso Roll- bar RPS001FC in accordance with laws included Arceau de securité RPS001FC selon la directive européenne 2006/42/CE inclus Roll-bar RPS001FC según ley incluso		
A RICHIESTA – EN PETICIÓN – OPTIONAL – SUR DEMANDE				
3° Ruota motrice (anteriore) 3° Rueda motriz (delantera) 3rd Driving (front) 3° Roue Motrice (antérieure)	Kit prepulitore Kit pre-limpiador Pre-cleaning kit Kit d pré – nettoyage	Smallatore Despellejador Husk remover Ècaleur	Raccattatore meccanico RM 210 - 170 Recogedor mecánico RM 210 -170 Mechanical pick-up RM 210 - 170 Ramesseur mécanique RM 210 - 170	
Spazzola laterale interfilare D.100 per raccattatore RM Cepillo lateral acirate D.100 para recogedor RM Lateral inter- row brush D.100 for RM pick- up Brosse latérale inter-rangée D.100 pour ramasseur RM		Doppia marcia (avanzamento / lavoro) Doble marcha (avance/ trabajo) Double gear (advance/ job) Double marche avance/ travail		
Crivello rotativo aggiuntivo per eventuali ulteriori prodotti Rotating sieve for possible other products Crible rotatif additionel pour d'autres produits Criba rotatoria para eventuales otros productos				

Capacità di raccolta (kg/h) Harvesting capacity (kg/h)
Capacité de récolte(kg/h) Capacidad de cosecha (kg/h)

CIMINA 300 S	Nocciole Hazelnuts Noisettes Avellanas (hp: 2 ton/ha)	Castagne Chestnuts Châtaignes Castañas (hp: 2 ton/ha)	Mandorle Almonds Amandes Almendras (hp: 2 ton/ha)	Noci Walnuts Noix Nueces (hp: 4 ton/ha)	Caffè Café Coffee Café (1.5 ton/ha)	Macadamia Macadamia Macadamia Macadamia (2 ton/ha)	Noce pecan Nues pecán Pecan nut Noix de pécan (2 ton/ha)
Kg/h	1.200	1.200	1.200	2.200	800	1.000	1.000

La capacità di lavoro è subordinata alla preparazione del terreno e alla quantità di prodotto.
The working capacity is subordinate to the ground preparation and to product quantity.
La capacité de travail est subordonnée à la préparation du terrain et à la quantité du produit.
La capacidad de trabajo está subordinada a la preparación del suelo y a la cantidad del producto.